



No Left Turn into School

Kiss and Ride Entrance

Buses Only

Do Not Enter

Drop Off / Loading Zone

FIRE AREA 'A'
CLASSROOM ADDITION (2-STORY)
EX. GFA=30,820 SF
PROP. GFA=40,990 SF (INCLUDES MAIN ENTRANCE ADDITION)
BLDG HT=28' MAX (2-STORY)
USE GROUP=E
CONSTRUCTION TYPE=IB
BLDG TO BE FULLY SPRINKLERED

FIRE AREA 'C'
CLASSROOM ADDITION (2-STORY)
EX. GFA=9,820 SF (EX MODULAR)
PROP. GFA=20,616 SF
BLDG HT=28 FT.
USE GROUP=E
CONSTRUCTION TYPE=IB
BLDG TO BE FULLY SPRINKLERED
FF=46.6 (MATCH EX. FLOOR)

FIRE AREA 'B'
CLASSROOM ADDITION (2-STORY)
EX. GFA=17,390 SF
PROP. GFA=28,286 SF (INCLUDES PROPOSED ADDITIONS)
BLDG HT=18 FT.
USE GROUP=E
CONSTRUCTION TYPE=IB
BLDG TO BE FULLY SPRINKLERED
FF=46.6

4' WIDE X 7' HIGH PEDESTRIAN ACCESS GATE

MAIN ENTRANCE
ADDN
FF=47.66
(MATCH EX. FLOOR)
GFA=2,578

PONDED WA. ELEV= 43.5

PEBBY DRIVE